

TALLULAH WATER SYSTEM
Public Water Supply ID: LA1065003

Consumer Confidence Report

2021 CCR

Additional Information and Electronic Copies can be found at www.ldh.la.gov/ccr

What you need to do:

Step 1: Review base report (numbered pages) for errors. If you are a surface water system, you must insert the turbidity data.

UCMR 4: If you have received data pertaining to the UCMR 4 list, that data must be included in the CCR Report. Additional information can be found at: www.ldh.la.gov/ccr

Step 2: Distribute completed report to your customers as outlined on the CCR Certification of Distribution Form no later than June 30, 2022.

Step 3: A completed CCR Certification of Distribution Form including a copy of the final CCR report shall be submitted to the State at the address provided on the form no later than September 30, 2022.

Notes:

This page is not part of your CCR; it is only the instruction page. The pages that are numbered in the upper right hand corner are the report pages.

The Water We Drink

TALLULAH WATER SYSTEM Public Water Supply ID: LA1065003

We are pleased to present to you the Annual Water Quality Report for the year 2021. This report is designed to inform you about the quality of your water and services we deliver to you every day (Este informe contiene información muy importante sobre su agua potable. Tradúzcalo o hable con alguien que lo entienda bien). Our constant goal is to provide you with a safe and dependable supply of drinking water. We want you to understand the efforts we make to continually improve the water treatment process and protect our water resources. We are committed to ensuring the quality of your water.

Our water source(s) are listed below:

Source Name	Source Water Type
WELL #3	Ground Water
WELL #5	Ground Water
WELL #2	Ground Water

The sources of drinking water (both tap water and bottled water) include rivers, lakes, streams, ponds, reservoirs, springs, and wells. As water travels over the surface of land or through the ground, it dissolves naturally-occurring minerals and, in some cases, radioactive material, and can pick up substances resulting from the presence of animals or from human activity. Contaminants that may be present in source water include:

Microbial Contaminants - such as viruses and bacteria, which may come from sewage treatment plants, septic systems, agricultural livestock operations, and wildlife.

Inorganic Contaminants - such as salts and metals, which can be naturally-occurring or result from urban stormwater runoff, industrial, or domestic wastewater discharges, oil and gas production, mining, or farming.

Pesticides and Herbicides - which may come from a variety of sources such as agriculture, urban stormwater runoff, and residential uses.

Organic Chemical Contaminants - including synthetic and volatile organic chemicals, which are by-products of industrial processes and petroleum production, and can also come from gas stations, urban stormwater runoff, and septic systems.

Radioactive Contaminants - which can be naturally-occurring or be the result of oil and gas production and mining activities.

A Source Water Assessment Plan (SWAP) is now available from our office. This plan is an assessment of a delineated area around our listed sources through which contaminants, if present, could migrate and reach our source water. It also includes an inventory of potential sources of contamination within the delineated area, and a determination of the water supply's susceptibility to contamination by the identified potential sources. According to the Source Water Assessment Plan, our water system had a susceptibility rating of 'HIGH'. If you would like to review the Source Water Assessment Plan, please feel free to contact our office.

In order to ensure that tap water is safe to drink, EPA prescribes regulations which limit the amount of certain contaminants in water provided by public water systems. Food and Drug Administration regulations establish limits for contaminants in bottled water which must provide the same protection for public health. We want our valued customers to be informed about their water utility. If you have any questions about this report, want to attend any scheduled meetings, or simply want to learn more about your drinking water, please contact CHARLES FINLAYSON at 318-574-0964.

If present, elevated levels of lead can cause serious health problems, especially for pregnant women and young children. Lead in drinking water is primarily from materials and components associated with service lines and home plumbing. TALLULAH WATER SYSTEM is responsible for providing high quality drinking water, but cannot control the variety of materials used in plumbing components. When your water has been sitting for several hours, you can minimize the potential for lead exposure by flushing your tap for 30 seconds to 2 minutes before using water for drinking or cooking. If you are concerned about lead in your water, you may wish to have your water tested. Information on lead in drinking water, testing methods, and steps you can take to minimize exposure is available from the Safe Drinking Water Hotline or at <http://www.epa.gov/safewater/lead>.

The Louisiana Department of Health routinely monitors for constituents in your drinking water according to Federal and State laws. The tables that follow show the results of our monitoring during the period of January 1st to December 31st, 2021. Drinking water, including bottled water, may reasonably be expected to contain at least small amounts of some contaminants. The presence of contaminants does not necessarily indicate that water poses a health risk.

In the tables below, you will find many terms and abbreviations you might not be familiar with. To help you better understand these terms, we've provided the following definitions:

Parts per million (ppm) or Milligrams per liter (mg/L) – one part per million corresponds to one minute in two years or a single penny in \$10,000.

Parts per billion (ppb) or Micrograms per liter (ug/L) – one part per billion corresponds to one minute in 2,000 years, or a single penny in \$10,000,000.

Picocuries per liter (pCi/L) – picocuries per liter is a measure of the radioactivity in water.

Treatment Technique (TT) – an enforceable procedure or level of technological performance which public water systems must follow to ensure control of a contaminant.

Action level (AL) – the concentration of a contaminant that, if exceeded, triggers treatment or other requirements that a water system must follow.

Maximum contaminant level (MCL) – the "Maximum Allowed" MCL is the highest level of a contaminant that is allowed in drinking water. MCL's are set as close to the MCLG's as feasible using the best available treatment technology.

Maximum contaminant level goal (MCLG) – the "Goal" is the level of a contaminant in drinking water below which there is no known or expected risk to human health. MCLG's allow for a margin of safety.

Maximum residual disinfectant level (MRDL) – The highest level of a disinfectant allowed in drinking water. There is convincing evidence that addition of a disinfectant is necessary for control of microbial contaminants.

Maximum residual disinfectant level goal (MRDLG) – The level of a drinking water disinfectant below which there is no known or expected risk to health. MRDLGs do not reflect the benefits of the use of disinfectants to control microbial contaminants.

Level 1 assessment – A study of the water system to identify potential problems and determine (if possible) why total coliform bacteria have been found in our water system.

Level 2 Assessment – A very detailed study of the water system to identify potential problems and determine (if possible) why an E. coli MCL violation has occurred and/or why total coliform bacteria have been found in our water system on multiple occasions.

During the period covered by this report we had the below noted violations.

Compliance Period	Analyte	Type
No Violations Occurred in the Calendar Year of 2021		

Our water system tested a minimum of 10 samples per month in accordance with the Total Coliform Rule for microbiological contaminants. With the microbiological samples collected, the water system collects disinfectant residuals to ensure control of microbial growth.

Disinfectant	Date	HighestRAA	Unit	Range	MRDL	MRDLG	Typical Source
CHLORINE	2021	1.1	ppm	0 - 3.1	4	4	Water additive used to control microbes.

In the tables below, we have shown the regulated contaminants that were detected. Chemical Sampling of our drinking water may not be required on an annual basis; therefore, information provided in this table refers back to the latest year of chemical sampling results. To determine compliance with the primary drinking water standards, the treated water is monitored when a contaminant is elevated in the source water.

Source Water Regulated Contaminants	Collection Date	Highest Value	Range	Unit	MCL	MCLG	Typical Source
ARSENIC	11/1/2021	7.9	1.4 - 7.9	ppb	10	0	Erosion of natural deposits; Runoff from orchards; Runoff from glass and electronics production wastes
BARIUM	11/1/2021	0.61	0 - 0.61	ppm	2	2	Discharge of drilling wastes; Discharge from metal refineries; Erosion of natural deposits
FLUORIDE	11/1/2021	0.3	0.2 - 0.3	ppm	4	4	Erosion of natural deposits; Water additive which promotes strong teeth; Discharge from fertilizer and aluminum factories

Treated Water Regulated Contaminants	Collection Date	Highest Value	Range	Unit	MCL	MCLG	Typical Source
ARSENIC	1/5/2021	10	1.1 - 10	ppb	10	0	Erosion of natural deposits; Runoff from orchards; Runoff from glass and electronics production wastes

Source Water Radiological Contaminants	Collection Date	Highest Value	Range	Unit	MCL	MCLG	Typical Source
COMBINED RADIUM (-226 & -228)	11/1/2021	2.22	0.486 - 2.22	pCi/l	5	0	Erosion of natural deposits
GROSS BETA PARTICLE ACTIVITY	11/1/2021	2.12	1.64 - 2.12	pCi/l	50	0	Decay of natural and man-made deposits. Note: The gross beta particle activity MCL is 4 millirems/year annual dose equivalent to the total body or any internal organ. 50 pCi/L is used as a screening level.

Treated Water Radiological Contaminants	Collection Date	Highest Value	Range	Unit	MCL	MCLG	Typical Source
No Detected Results were Found in the Calendar Year of 2021							

Lead and Copper	Date	90 TH Percentile	Range	Unit	AL	Sites Over AL	Typical Source
COPPER, FREE	2018 - 2020	0.3	0 - 0.4	ppm	1.3	0	Corrosion of household plumbing systems; Erosion of natural deposits; Leaching from wood preservatives
LEAD	2018 - 2020	4	0 - 32	ppb	15	1	Corrosion of household plumbing systems; Erosion of natural deposits

Disinfection Byproducts	Sample Point	Period	Highest LRAA	Range	Unit	MCL	MCLG	Typical Source
TOTAL HALOACETIC ACIDS (HAAS)	101 PARISH RD	2021	24	11.4 - 22.3	ppb	60	0	By-product of drinking water disinfection
TOTAL HALOACETIC ACIDS (HAAS)	1015 WEST GREEN ST	2021	19	7.2 - 15.6	ppb	60	0	By-product of drinking water disinfection
TTHM	101 PARISH RD	2021	50	30.5 - 52.7	ppb	80	0	By-product of drinking water chlorination
TTHM	1015 WEST GREEN ST	2021	49	29.3 - 46.8	ppb	80	0	By-product of drinking water chlorination

Source Secondary Contaminants	Collection Date	Highest Value	Range	Unit	SMCL
ALUMINUM	11/1/2021	0.09	0.05 - 0.09	MG/L	0.2
CHLORIDE	11/1/2021	21	0 - 21	MG/L	250
IRON	12/3/2021	13.25	0.35 - 13.25	MG/L	0.3
MANGANESE	11/1/2021	1.29	0.08 - 1.29	MG/L	0.05
PH	11/1/2021	6.43	6.31 - 6.43	PH	8.5
SULFATE	11/1/2021	11	3 - 11	MG/L	250

Treated Secondary Contaminants	Collection Date	Highest Value	Range	Unit	SMCL
ALUMINUM	1/5/2021	0.01	0 - 0.01	MG/L	0.2
IRON	5/7/2021	0.46	0.13 - 0.46	MG/L	0.3
MANGANESE	1/5/2021	0.09	0.02 - 0.09	MG/L	0.05

Unresolved significant deficiencies that were identified during a survey done on the water system are shown below.					
Date Identified	Facility	Code	Activity	Due Date	Description
06/23/2017	WATER SYSTEM	OT101	GWR ADDRESS TT45 DEFICIENCIES	12/31/2019	Critical System Component
06/23/2017	WATER SYSTEM	OT101	GWR ADDRESS TT45 DEFICIENCIES	12/31/2019	Critical System Component
10/25/2021	SOUTHEAST CLEARWELL	200T1 01	GWR APPROVED CORRECTIVE ACTION PLAN	8/30/2022	LAC 51:XII.319.D.24 - System shall ensure that no critical water system component is in poor condition or defective.
10/25/2021	SOUTHEAST CLEARWELL	200T1 01	GWR ADDRESS TT45 DEFICIENCIES	2/13/2022	LAC 51:XII.319.D.24 - System shall ensure that no critical water system component is in poor condition or defective.
10/25/2021	NORTHEAST CLEARWELL	200T1 01	GWR APPROVED CORRECTIVE ACTION PLAN	8/30/2022	LAC 51:XII.319.D.24 - System shall ensure that no critical water system component is in poor condition or defective.
10/25/2021	NORTHEAST CLEARWELL	200T1 01	GWR ADDRESS TT45 DEFICIENCIES	2/13/2022	LAC 51:XII.319.D.24 - System shall ensure that no critical water system component is in poor condition or defective.
10/25/2021	WELL #5	200T1 01	GWR APPROVED CORRECTIVE ACTION PLAN	8/30/2022	LAC 51:XII.319.D.24 - System shall ensure that no critical water system component is in poor condition or defective.
10/25/2021	WELL #5	200T1 01	GWR ADDRESS TT45 DEFICIENCIES	2/13/2022	LAC 51:XII.319.D.24 - System shall ensure that no critical water system component is in poor condition or defective.
10/25/2021	WELL #4	200T1 01	GWR APPROVED CORRECTIVE ACTION PLAN	8/30/2022	LAC 51:XII.319.D.24 - System shall ensure that no critical water system component is in poor condition or defective.
10/25/2021	WELL #4	200T1 01	GWR ADDRESS TT45 DEFICIENCIES	2/13/2022	LAC 51:XII.319.D.24 - System shall ensure that no critical water system component is in poor condition or defective.
10/25/2021	WELL #3	200T1 01	GWR APPROVED CORRECTIVE ACTION PLAN	8/30/2022	LAC 51:XII.319.D.24 - System shall ensure that no critical water system component is in poor condition or defective.
10/25/2021	WELL #3	200T1 01	GWR ADDRESS TT45 DEFICIENCIES	2/13/2022	LAC 51:XII.319.D.24 - System shall ensure that no critical water system component is in poor condition or defective.
10/25/2021	WELL #2	200T1 01	RTCR - APPROVED CORRECTIVE ACTION PLAN	8/30/2022	LAC 51:XII.319.D.24 - System shall ensure that no critical water system component is in poor condition or defective.
10/25/2021	WELL #2	200T1 01	GWR APPROVED CORRECTIVE ACTION PLAN	8/30/2022	LAC 51:XII.319.D.24 - System shall ensure that no critical water system component is in poor condition or defective.
10/25/2021	WELL #2	200T1 01	GWR ADDRESS TT45 DEFICIENCIES	2/13/2022	LAC 51:XII.319.D.24 - System shall ensure that no critical water system component is in poor condition or defective.
10/25/2021	WELL #2	200T1 01	RTCR - ADDRESS SANITARY DEFECT	12/15/2020	LAC 51:XII.319.D.24 - System shall ensure that no critical water system component is in poor condition or defective.
10/25/2021	GROUND TANK @ PLANT	20SE1 4	GWR ADDRESS TT45 DEFICIENCIES	2/13/2022	LAC 51:XII.319.D.9 and 315.A - All public water supply wells, treatment units, tanks, etc., shall be located inside a fenced area that is capable of being locked
10/25/2021	WELL #2	200T1 01	GWR APPROVED CORRECTIVE ACTION PLAN	8/30/2022	LAC 51:XII.319.D.24 - System shall ensure that no critical water system component is in poor condition or defective.